

CASE FOR BUILDING A DEMENTIA-CAPABLE SYSTEM OF CARE

Alzheimer's Disease: A Public Health Concern

Alzheimer's disease currently afflicts 5.8 million Americans and over 600,000 Californians.¹ With the aging of the baby boomers, these numbers will double in less than twenty years and triple by mid-century. Hispanics and African Americans are one and a half to two times as likely to have Alzheimer's disease and other dementias.² Alzheimer's and other dementias have enormous health and economic consequences for patients, their family caregivers, and society.


California's Population of Duals with Alzheimer's Disease and Related Disorders

Prevalence estimates for those 65 years and older range from a baseline of 11% within the general population to 23% for dually-eligible individuals.³ ⁴ This discrepancy likely reflects the complex health care needs of the dually eligible population and the fact that those with multiple chronic conditions, such as diabetes and hypertension, are at greater risk of developing dementia. Applying this higher prevalence rate to the California Department of Health Care Services' number of dually-eligible Californians, it is estimated that over 198,000 of dual eligible beneficiaries in California, and 71,000 in Los Angeles County alone, have Alzheimer's disease or a related dementia.⁵

Cost and Quality of Care

The costs of care for people with dementia are high for all payers, including Medicare, Medicaid, and private insurers.^{7 8 9 10 11 12} This is due, in part, to the fact that dementia significantly increases the likelihood for hospitalization and length of hospital stays, compared to people with the same serious medical conditions, but without dementia.¹³ Dementia is also an independent risk factor for nursing home admission in community-dwelling older adults, even when controlling for numerous co-morbidities.¹⁴ In addition, many people with dementia have multiple coexisting conditions: 60% have hypertension, 26% have coronary heart disease, 25% have stroke, and 23% have diabetes^{.15} One study found that people with cognitive impairment and three additional chronic health conditions cost Medicare an average of \$50,000 per year.¹⁶ As a result, beneficiaries with moderate to severe cognitive impairment, as shown in the chart below, cost Medicare three times more than other beneficiaries in the same age group; this difference is driven primarily by hospitalizations. They cost Medicaid 23 times more than other enrollees of the same age, largely due to nursing home utilization.¹⁷





Patients with dementia <u>cost</u> <u>Medicare 3X</u> more than other beneficiaries in the same age group, primarily because of hospitalizations, and they <u>cost</u> <u>Medicaid 23X</u> more, primarily because of nursing home placement.

Source: Alzheimer's Association. 2019 Alzheimer's Disease Facts and Figures. Alzheimer's Dementia 2019;15(3):321-387.

Complicating the picture for health plans is the fact that only fifty percent of people with a dementia receive a diagnosis, and only fifty percent of those people have that diagnosis recorded in the medical chart.¹⁸

All of these factors combine to mean:

- All plans serving older adults will have patients with dementia among their client population
- Many of these individuals will not enter the health plan's system with an accurate diagnosis and therefore¹⁹:
 - They do not receive appropriate care for their cognitive symptoms
 - They do not receive appropriate care for their behavioral symptoms and may be prescribed non-preferred and potentially dangerous anti-psychotic medications
 - They do not manage their co-morbid chronic conditions well and may suffer undue burden from these conditions
 - Their family/friend caregivers are not identified, assessed and supported so that they can maintain the patient in the preferred home and community settings

Indicators of a Dementia-Capable System of Care

For the reasons above, plans should take the necessary steps to build a dementia-capable system. Examples of system change indicators for a dementia-capable system of care include:

- Health risk assessment/other assessments include cognitive impairment
- Adoption of a validated cognitive screening tool such as the AD8



- Integration of cognitive assessment into e-record
- Protocol for diagnosis if screen is positive
- Identification of family/friend caregiver
- Family/friend caregiver assessment adopted
- Respite benefit provided by health plan
- Adoption of best practices care plans
- Workflow processes established for use of Dementia Care Specialist
- Provision of service & supports to patients and family/friend caregiver
- Adoption of ALZ Direct Connect® Referral Program
- Provision of dementia-specific training programs and technical assistance



References

¹ Alzheimer's Association. 2019 Alzheimer's Disease Facts and Figures. *Alzheimer's & Dementia* (2019); 15(3):321-387.

² lbid:21.

³ Ibid:43.

⁴ Beneficiaries Dually Eligible for Medicare and Medicaid Databook. *Medicare Payment Advisory Commission report* (January 2015):35.

⁵ *Medi-Cal/Medicare Dual Eligibility by Age by County January 2013*. Research and Analytical Studies Branch; California Department of Health Care Services.

⁶ Beneficiaries Dually Eligible for Medicare and Medicaid Databook. *Medicare Payment Advisory Commission report*, (January 2015):35.

⁷ Bharmal et al. Incremental Dementia-Related Expenditures in a Medicaid Population. *American Journal of Geriatric Psychiatry* (January 2012); 20(1):73-83.

⁸ Bynum J.P. et al. The Relationship Between a Dementia Diagnosis, Chronic Illness, Medical Expenditures, and Hospital Use. Journal of the American Geriatric Society (February 2004); 52(2):187-94.

⁹ Fortinsky, Fenster, & Judge. Medicare and Medicaid Home Health and Medicaid Waiver Services for Dually Eligible Older Adults: Risk Factors for Use and Correlates of Expenditures. The Gerontologist (2004) 44 (6):739-749.

¹⁰ Hurd M.D, Martorell P., Delavande A., Mullen K.J., and Langa K.M. Monetary Costs of Dementia in the United States. New England Journal of Medicine (2013); 368:1326-1334.

¹¹ Langa K.M., Foster N.L., Larson E.B. Mixed Dementia: Emerging Concepts and Therapeutic Implications. Journal of the American Medical Association (2004); 292(23):2901-2908.

¹² Zhu C.W., Scarmeas N., Torgan R., Albert M., Brandt J., et al. Clinical Characteristics and Longitudinal Changes of Informal Cost of Alzheimer's Disease in the Community. Journal of the American Geriatric Society (2006);54: 1596–1602.

¹³ Op Cit. Bynum J.P. et al. (February 2004).

¹⁴ Gaugler J.E., Duval S., Anderson K.A., Kane R.L. Predicting Nursing Home Admission in the U.S.: A Metaanalysis. BMC Geriatrics (2007); 7(13).

¹⁵ Bynum J. P. Characteristics, Costs, and Health Service Use for Medicare Beneficiaries with a Dementia Diagnosis: Report 1. Dartmouth Institute for Health Policy and Clinical Care (2009).

¹⁶ 2016 Alzheimer's Disease Facts and Figures. Alzheimer's & Dementia (2016); 12(4):45.

¹⁷ Arrighi H.M., Neumann P.J., Lieberburg I.M., Townsend R.J. Lethality of Alzheimer Disease and its Impact on Nursing Home Placement. *Alzheimer Disease and Associated Disorders* (2010); 24(1):90-5.

¹⁸ Chodosh J., Petitti D. B., Elliott M., Hays R. D., Crooks V. C., Reuben D. B., Galen Buckwalter J. and Wenger N. Physician Recognition of Cognitive Impairment: Evaluating the Need for Improvement. *Journal of the American Geriatric Society* (July 2004); 52(7):1051-1059.

¹⁹ Chodosh J, Pearson M.L., Connor K.I., et al. A Dementia Care Management Intervention: Which Components Improve Quality? *American Journal of Managed Care* (2012); 18:85–94.